


How to access files on a non-working PC

In a scenario where the PC will not boot or cannot be accessed, it may be necessary to still retrieve some files off of its hard drive (for instance, myCNC profile folders that contain all the custom settings for the myCNC software).


In that case, follow the steps below:

Step 1: Using Ubuntu MATE through LiveUSB


- The LiveCD image can be written on a USB disk through the use of [Etcher](#) or [Rufus](#) software. The installation packages can be downloaded [here](#).
- Connect the power cable, the screen through an HDMI or VGA cable, keyboard, mouse and the LiveUSB with Ubuntu Mate 20.04 to the computer
- When booting up the computer, hold the **Delete** key to enter the BIOS




- In the BIOS screen, navigate to the **Boot** tab



- Select the **Hard Drive BBS Priorities**
- For **Boot Option #1**, switch the SSD 32GB to your LiveCD (in our case, the KingstonDT 101 G2 PMAP)




- Save & Exit by pressing F10. The boot-up will begin shortly
- In the popup window, select the **Try Ubuntu MATE** option




Step 2: Accessing the necessary folders

The PC should now boot into Ubuntu MATE from the USB that you have previously plugged in. In the example below, we will be retrieving the files for the myCNC profiles:


- From the home screen, open the file browser's home folder, either by clicking the Home folder on the Desktop, or by opening the “Caja” File Browser through the Menu:




- Switch the “Show hidden files” option to ON in the View menu:



- Click on the volume listed in the Devices section. The file **must** contain the *mycnc/.config* folder - if the folder is absent, this is likely not the right drive/partition - in that case, check the other Devices until you locate the *mycnc/.config* folder:



- Within that drive navigate to `/home/mycnc/.config/myCNC/profiles`




You now have access to the profiles. Copy the profiles over to a different USB stick that you can plug into the PC, or upload them to an online storage drive for further access.

Step 3: Running fsck

Here, we will be using the terminal and the `fsck` command to find out whether there are any problems or issues with the file system. Make sure that the specific drive you are diagnosing is **UNMOUNTED** (this can be done by heading to the file manager and clicking the triangle and rectangle button next to the volume name, or by right-clicking the drive and unmounting it):



- Open the terminal:



- Type in `sudo fdisk -l` into the terminal and press ENTER. This will show a list of drives with all the partitions/volumes on them.
- Locate the drive(s) that you want to check (it should have the “SSD” line in its description), and then locate the partition that you will be checking. In this example case, this will be `/dev/sda2` and `/dev/sda5`, as they are both **Linux** partitions on the SSD (rather than Linux Swap or Extended).

```

mycnc@mycnc-usb:~ 
File Edit View Search Terminal Help
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes
Disk identifier: 0x0f73fb0c

Disk /dev/sda: 59.64 GB, 64023257088 bytes, 125045424 sectors
Disk model: SSD_64GB
Units: sectors of 1 * 512 = 512 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes
Disklabel type: dos
Disk identifier: 0x0f73fb0c

Device Boot Start End Sectors Size Id Type
/dev/sda1 2848 2880895 1988488 976M 83 Linux
/dev/sda2 * 2000896 34900895 12800000 15 83 Linux
/dev/sda3 34900896 62533295 28532480 13 6C S Extended
/dev/sda5 34002944 62533295 13 6C 83 Linux

Disk /dev/sdb: 465.78 GB, 500107862016 bytes, 976773168 sectors
Disk model: External
Units: sectors of 1 * 512 = 512 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes
Disklabel type: dos
Disk identifier: 0xc041c070

Device Boot Start End Sectors Size Id Type
/dev/sdb1 2848 104859647 104857600 580 83 Linux
/dev/sdb2 104859648 167774207 62914560 380 83 Linux

Disk /dev/loop8: 13.53 MB, 14172160 bytes, 27680 sectors
Units: sectors of 1 * 512 = 512 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes

Disk /dev/loop9: 55.62 MB, 58310656 bytes, 113888 sectors
Units: sectors of 1 * 512 = 512 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes

Disk /dev/loop10: 49.86 MB, 52260864 bytes, 102072 sectors
Units: sectors of 1 * 512 = 512 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes
mycnc@mycnc-usb:~ 

```

- Type in the command `sudo fsck -y /dev/sda2` and press ENTER. Let the system correct any errors that it locates.
- Once the above process is done, type in `sudo fsck -y /dev/sda5` and press ENTER. Wait while the system corrects any errors.

```

mycnc@mycnc-usb:~ 
File Edit View Search Terminal Help
-(229504--229612) -(229632--229763) -(229888--229979) -(230016--230111) -(230144--230266) -(230272--230364) -(230528--230656) -(230656--230748) -(231040--231127) -(231296--231388) -(233600--233686) -(233856--233948) -(233984--234072) -(234112--234204) -(234368--234457) -(234624--234719) -(234752--234853) -(234880--234972) -(235008--235098) -(235136--235224) -(235264--235408) -(235520--235611) -(235648--235769) -(235776--235878) -(235904--235985) -(236160--236258) -(236288--236381) -(236416--236506) -(238080--238161) -(239616--239703) -(239744--239837) -(239872--239962) -(244096--244191) +(524288--524289) +(524304--524305) +(524320--525295) +1048576 +1048592 +(1048608--1049095) +1572864 +1572880 +(1572896--1573383) +2097152 +2097168 +(2097184--2097671) +2621440 +2621456 +(2621472--2621959) +3145728 +(3145740--3145741) +(3145753--3146241) +(3151610--3152097)
Fix<y>? yes
Free blocks count wrong for group #1 (5931, counted=5950).
Fix<y>? yes
Free blocks count wrong for group #2 (16431, counted=16652).
Fix<y>? yes
Free blocks count wrong for group #6 (3235, counted=7039).
Fix<y>? yes
Free blocks count wrong for group #7 (16984, counted=20228).
Fix<y>? yes
Free blocks count wrong for group #16 (24814, counted=24928).
Fix<y>? yes
Free blocks count wrong for group #17 (27022, counted=32768).
Fix<y>? yes
Free blocks count wrong (3344088, counted=3357236).
Fix<y>? yes
Free inodes count wrong for group #16 (4351, counted=7808).
Fix<y>? yes
Directories count wrong for group #16 (114, counted=0).
Fix<y>? yes
Free inodes count wrong (837547, counted=841004).
Fix<y>? yes
Padding at end of inode bitmap is not set. Fix<y>? yes

/dev/sda5: ***** FILE SYSTEM WAS MODIFIED *****
/dev/sda5: 10068/851072 files (0.4% non-contiguous), 209058/3566294 blocks
mycnc@mycnc-usb:~ $ sudo fsck /dev/sda5 -y
fsck from util-linux 2.34
e2fsck 1.45.5 (07-Jan-2020)
/dev/sda5: clean, 10068/851072 files, 209058/3566294 blocks
mycnc@mycnc-usb:~ $ 

```

If fixing the errors on /dev/sda2 and /dev/sda5 does not correct the issue, check the other drives that are connected.

- In the Terminal, type in `fdisk -l /dev/sdb`
- If the description of the drive mentions “SSD” (similar to the drive above), run the following:
 - First, run `sudo fsck -y /dev/sdb2`
 - After the previous command completes, run `sudo fsck -y /dev/sdb5`

Once the errors are fixed, shut down the computer and unplug the LiveUSB. Reboot the system.

From:

<https://docs.pv-automation.com/> - myCNC Online Documentation



Permanent link:

https://docs.pv-automation.com/other/access_files

Last update: **2023/03/22 09:36**