

- **MyCNC Quick Start**
 - **FAQ**
 - Installing Ubuntu MATE with preinstalled myCNC software
 - Installing the Linux ISO on a Tinkerboard SBC
 - myCNC Control Board Setup
 - Network Setup
 - Axes and Pulses per Unit setup
 - Homing Procedure setup
 - Start/Stop Setup
 - Importing DXF files
 - Probe tool setup
 - CNC Vision Setup
 - Plasma Setup (X1366P)
 - Tangential Knife Setup (X1366V)
 - Oxy-fuel Setup (X1366G)

- **Troubleshooting**

- **MyCNC Hardware**
 - MyCNC EtherCAT Controller
 - MyCNC Pulse-Dir Controllers
 - MyCNC-ET6 Controller
 - MyCNC-ET10 Controller (R3)
 - MyCNC-ET10 Controller (R2)
 - MyCNC-ET15 Controller
 - Wireless Pendants
 - Modbus Devices
 - Rotary encoder setup
 - Linear encoder setup
 - Touchscreen setup and calibration
 - MQL - Minimum Quantity Lubrication
 - DC Motor Control
 - Dental Aligners

- **MyCNC Software**
 - Main Software Features
 - Main Advantages of myCNC software
 - Profile Screen Description
 - Screen Editing and Configuration
 - Software Setup
 - MyCNC Configuration Dialogs
 - Configuration Dialogs (Unfolded Version)
 - MyCNC Profiles
 - MyCNC Setup Examples
 - Closed loop configuration
 - Constant Velocity Mode (CV)
 - Servo ON/OFF
 - G-Codes Implemented List
 - Global Variables Array
 - Extern Variables Array
 - Macro language
 - Cutcharts

- Triggers
- Timers
- RTCP setup
- Modbus Setup
 - Host Modbus API
 - PLC/Modbus API
 - Spindle Control via Modbus
- Server API
- MyCNC Software Installation
 - MyCNC Software Installation on Windows
- Update MyCNC Software
- MyCNC Pulse Width Setup
- Flatbed Correction
- 3D Height Mapping
- Stop/End program commands
- Subroutines
- Popup Messages
- Pipe Cutting
- Laser Cutting
- Speed Priority
- Drilling Cycle
- Scriber
- Hardware Pendant
- Dental mill
- SBC - Single Board Computer
 - Installing Linux with myCNC software on a TinkerBoard
- PLC
 - PLC Builder
 - Hardware PLC Examples
 - Running Motion commands from PLC
 - Getting a Height Map
 - M07 Mist Coolant ON
 - M03 Simple Spindle ON procedure
 - Gas Cutting Control implementation
 - API to work with Modbus devices from PLC
 - THC API
 - Show Custom Message Box from PLC
 - M88 M89 Stop Motion from PLC if Input pin activated
 - Software PLC Examples
 - Charge Pump
 - How to add mandatory Homing after Emergency Button and-or Servo ready alarm
 - Button to toggle select output pin with indication
 - Oil Change counter
 - Controller Peripherals Test - BV17
 - FERROR implementation
 - Show custom message popup
 - Load PLC from template
 - Jog From PLC
- THC

- [IHC](#)
- [Independent Pulse Generator](#)
- [Low Frequency Pulse Generator](#)
- [Hypertherm Automatic Gas Console](#)
- [MyCNC Plasma Configuration Example](#)
- [Setup of two myCNC instances on one machine](#)
- [Video Tutorial](#)

[MyCNC Shop](#)

[MyCNC website](#)

[myCNC Price List](#)

- [Other](#)
 - [How to connect NPN Sensor to TTL input of control board with optocouple](#)
 - [SMD Resistor codes](#)
 - [Working with AJAN CAM software](#)
 - [Setting up Samba for Windows/Linux machines](#)
 - [Language Localization](#)
 - [Line driver to 5V converters](#)
 - [Console commands](#)
 - [SheetCam Tips](#)
 - [Manual Firmware Reflash](#)

From:

<http://docs.pv-automation.com/> - **myCNC Online Documentation**

Permanent link:

<http://docs.pv-automation.com/sidebar>

Last update: **2026/01/07 10:42**

