

- **MyCNC Quick Start**
 - **FAQ**
 - Installing Ubuntu MATE with preinstalled myCNC software
 - Installing the Linux ISO on a Tinkerboard SBC
 - myCNC Control Board Setup
 - Network Setup
 - Axes and Pulses per Unit setup
 - Homing Procedure setup
 - Start/Stop Setup
 - Importing DXF files
 - Probe tool setup
 - CNC Vision Setup
 - Plasma Setup (X1366P)
 - Tangential Knife Setup (X1366V)
 - Oxy-fuel Setup (X1366G)
- **Troubleshooting**
- **MyCNC Hardware**
 - MyCNC-ET6 Controller
 - MyCNC-ET7 Controller
 - MyCNC-ET10 Controller
 - MyCNC-ET15 Controller
 - Wireless Pendants
 - Modbus Devices
 - Rotary encoder setup
 - Linear encoder setup
 - Touchscreen setup and calibration
 - MQL - Minimum Quantity Lubrication
- **MyCNC Software**
 - Main Software Features
 - Main Advantages of myCNC software
 - Profile Screen Description
 - Screen Editing and Configuration
 - Software Setup
 - MyCNC Configuration Dialogs
 - MyCNC Profiles
 - MyCNC Setup Examples
 - Closed loop configuration
 - Constant Velocity Mode (CV)
 - Servo ON/OFF
 - G-Codes Implemented List
 - Global Variables Array
 - Extern Variables Array
 - Macro language
 - Cutcharts
 - Triggers
 - Timers
 - RTCP setup
 - Modbus Setup
 - Host Modbus API

- [PLC/Modbus API](#)
 - [Spindle Control via Modbus](#)
 - [Server API](#)
 - [MyCNC Software Installation](#)
 - [MyCNC Software Installation on Windows](#)
 - [Update MyCNC Software](#)
 - [MyCNC Pulse Width Setup](#)
 - [Flatbed Correction](#)
 - [3D Height Mapping](#)
 - [Stop/End program commands](#)
 - [Subroutines](#)
 - [Popup Messages](#)
- [SBC - Single Board Computer](#)
 - [Installing Linux with myCNC software on a TinkerBoard](#)
 - [PLC](#)
 - [PLC Builder](#)
 - [Hardware PLC Examples](#)
 - [Running Motion commands from PLC](#)
 - [Getting a Height Map](#)
 - [M07 Mist Coolant ON](#)
 - [M03 Simple Spindle ON procedure](#)
 - [Gas Cutting Control implementation](#)
 - [API to work with Modbus devices from PLC](#)
 - [THC API](#)
 - [Show Custom Message Box from PLC](#)
 - [M88 M89 Stop Motion from PLC if Input pin activated](#)
 - [Software PLC Examples](#)
 - [Charge Pump](#)
 - [How to add mandatory Homing after Emergency Button and-or Servo ready alarm](#)
 - [Button to toggle select output pin with indication](#)
 - [Oil Change counter](#)
 - [Controller Peripherals Test - BV17](#)
 - [FERROR implementation](#)
 - [Show custom message popup](#)
 - [Load PLC from template](#)
 - [THC](#)
 - [IHC](#)
 - [Independent Pulse Generator](#)
 - [MyCNC Plasma Configuration Example](#)
 - [Setup of two myCNC instances on one machine](#)
 - [Video Tutorial](#)

[MyCNC Shop](#)

[MyCNC website](#)

[myCNC Price List](#)

- [Other](#)
 - [How to connect NPN Sensor to TTL input of control board with optocouple](#)

- [SMD Resistor codes](#)
- [Working with AJAN CAM software](#)
- [Setting up Samba for Windows/Linux machines](#)
- [Language Localization](#)
- [Line driver to 5V converters](#)

From:

<http://docs.pv-automation.com/> - **myCNC Online Documentation**

Permanent link:

<http://docs.pv-automation.com/sidebar?rev=1600088925>

Last update: **2020/09/14 09:08**

